

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|-----------------|------------------|---------|------------------|
| S83 | 11 | (image or imaging) and (hospital) and (protocol with scan \$4 with configur\$6) and (icon and button) | US-PGPUB; USPAT | AND | ON | 2009/01/14 16:30 |
| S84 | 28 | (image or imaging) and (hospital) and (protocol with scan \$4) and (protocol with configur\$6) and (icon and button) | US-PGPUB; USPAT | AND | ON | 2009/01/14 16:59 |
| S85 | 9 | (image or imaging) and (hospital) and (protocol with scan \$4) and (protocol with configur\$6 with patient) and (icon and button or graphic \$4) | US-PGPUB; USPAT | AND | ON | 2009/01/15 11:34 |
| S86 | 20 | (image or imaging) and (hospital) and (protocol with scan \$4) and (protocol with configur\$6 with patient) | US-PGPUB; USPAT | AND | ON | 2009/01/15 11:36 |
| S87 | 863 | (average or mean or median) with (cost or price or amount) with (unit or prescription or drug or medicament or medication) with (class or type or similar or like or generic or formulary) | US-PGPUB; USPAT | AND | ON | 2009/01/15 13:52 |
| S89 | 8565 | image with (post adj process\$4) | US-PGPUB; USPAT | AND | ON | 2009/06/23 12:51 |
| S90 | 1342 | (mri or ct) and (image with (post adj process\$4)) | US-PGPUB; USPAT | AND | ON | 2009/06/23 12:52 |

| | | | | | | |
|------|-----|--|--------------------|-----|----|---------------------|
| S94 | 14 | (mri or ct) and ((image with (post adj process\$4) with generat\$5) same automat\$5) | US-PGPUB; USPAT | AND | ON | 2009/06/23 12:53 |
| S93 | 162 | (mri or ct) and ((image with (post adj process\$4) with generat\$5) | US-PGPUB; USPAT | AND | ON | 2009/06/23 12:53 |
| S95 | 0 | (mri or ct) and ((image with (post adj process\$4) with generat\$5) same while) | US-PGPUB; USPAT | AND | ON | 2009/06/23 12:55 |
| S96 | 16 | (mri or ct) and ((image with (post adj process\$4) with generat\$5) same during) | US-PGPUB; USPAT | AND | ON | 2009/06/23 12:56 |
| S97 | 23 | (mri or ct) and ((image with (post adj process\$4) with generat\$5) same (during or real)) | US-PGPUB; USPAT | AND | ON | 2009/06/23 12:57 |
| S98 | 809 | (mri or ct) and ((image with (post adj process\$4)) and ((generat\$5 or process\$4) with (during or real)) | US-PGPUB; USPAT | AND | ON | 2009/06/23 13:23 |
| S99 | 208 | ((mri or ct) same ((image with (post adj process\$4))) and ((generat\$5 or process\$4) with (during or real)) | US-PGPUB; USPAT | AND | ON | 2009/06/23 13:24 |
| S100 | 56 | ((mri or ct) same ((image with (post adj process\$4))) and ((generat\$5 or process\$4) with (during or real) with scan\$4) | US-PGPUB; USPAT | AND | ON | 2009/06/23 13:49 |

| | | | | | | |
|------|----|---|--------------------|-----|----|---------------------|
| S101 | 13 | ((mri or ct) same (image with (post adj process\$4))) and ((generat\$5 or process\$4) with (during or real) with scan\$4) and ((change or modify or adjust) with (setting or parameters)) | US-PGPUB; USPAT | AND | ON | 2009/06/24 15:32 |
| S102 | 7 | ((mri or ct) same (image with (post adj process\$4))) and ((generat\$5 or process\$4 or develop \$5) with (construct \$5 or reconstruct\$5) with (during or real or while)) and ((change or modify or adjust) with (setting or parameters)) | US-PGPUB; USPAT | AND | ON | 2009/06/24 15:41 |
| S103 | 1 | ((slab or slice) with thickness with zoom with windowing) same preferenc\$4 | US-PGPUB; USPAT | AND | ON | 2009/06/25 11:54 |
| S104 | 1 | ((slab or slice) same thickness same zoom same windowing) same preferenc\$4 | US-PGPUB; USPAT | AND | ON | 2009/06/25 11:55 |
| S106 | 1 | ((slab or slice) with zoom with windowing) | US-PGPUB; USPAT | AND | ON | 2009/06/25 11:56 |
| S105 | 1 | ((slab or slice) with thickness with zoom with windowing) | US-PGPUB; USPAT | AND | ON | 2009/06/25 11:56 |
| S108 | 2 | (level with zoom with windowing) same preferenc\$4 | US-PGPUB; USPAT | AND | ON | 2009/06/25 12:03 |
| S107 | 8 | (level with zoom with windowing) | US-PGPUB; USPAT | AND | ON | 2009/06/25 12:03 |
| S109 | 6 | (level with zoom with window\$4) same preferenc\$4 | US-PGPUB; USPAT | AND | ON | 2009/06/25 12:05 |

| | | | | | | |
|------|------|---|--------------------|-----|----|---------------------|
| S110 | 5 | "6898302" | US-PGPUB; USPAT | AND | ON | 2009/07/01 16:04 |
| S111 | 7 | radiologist with preferenc\$4 with database | US-PGPUB; USPAT | AND | ON | 2009/07/01 16:26 |
| S112 | 76 | "5452416" | US-PGPUB; USPAT | AND | ON | 2009/07/01 16:50 |
| S113 | 9 | radiologist with (profile or preferenc \$4) with database | US-PGPUB; USPAT | AND | ON | 2009/07/01 17:13 |
| S115 | 170 | radiologist ((profile or preferenc\$4) with database) | US-PGPUB; USPAT | AND | ON | 2009/07/01 17:17 |
| S114 | 170 | radiologist(profile or preferenc\$4) with database | US-PGPUB; USPAT | AND | ON | 2009/07/01 17:17 |
| S116 | 67 | radiologist ((preferenc\$4) with database) | US-PGPUB; USPAT | AND | ON | 2009/07/01 17:18 |
| S117 | 1916 | ct and volt\$5 and (amp or amperage) and (dose or dosage) | US-PGPUB; USPAT | AND | ON | 2009/07/02 10:20 |
| S119 | 904 | (tomography or tomography) and optimiz\$5 and volt\$5 and (amp or amperage) and (dose or dosage) | US-PGPUB; USPAT | AND | ON | 2009/07/02 10:21 |
| S118 | 1032 | (tomography or tomography) and volt \$5 and (amp or amperage) and (dose or dosage) | US-PGPUB; USPAT | AND | ON | 2009/07/02 10:21 |
| S121 | 12 | (tomography or tomography) and (optimiz\$5 same volt \$5 same (amp or amperage or power) same (dose or dosage)) | US-PGPUB; USPAT | AND | ON | 2009/07/02 10:22 |
| S120 | 0 | (tomography or tomography) and (optimiz\$5 same volt \$5 same (amp or amperage) same (dose or dosage)) | US-PGPUB; USPAT | AND | ON | 2009/07/02 10:22 |

| | | | | | | |
|------|-----|--|-----------------|-----|----|------------------|
| S122 | 23 | (MRI or ct or x-ray or tomography or tomography) and (optimiz\$5 same volt \$5 same (amp or amperage or power) same (dose or dosage)) | US-PGPUB; USPAT | AND | ON | 2009/07/02 10:24 |
| S123 | 23 | (MRI or ct or x-ray or tomography or tomography or imaging) and (optimiz\$5 same volt \$5 same (amp or amperage or power) same (dose or dosage)) | US-PGPUB; USPAT | AND | ON | 2009/07/02 10:31 |
| S124 | 24 | (MRI or ct or x-ray or tomography or tomography or imaging) and (optimiz\$5 with volt \$5) and (optimiz\$5 with (amp or amperage or power)) and (optimiz\$5 same (dose or dosage)) | US-PGPUB; USPAT | AND | ON | 2009/07/02 10:32 |
| S132 | 73 | (examination with protocol) same patient same (restrict \$3 or limit\$3) | US-PGPUB; USPAT | AND | ON | 2009/07/02 17:22 |
| S131 | 509 | (examination with protocol) same patient | US-PGPUB; USPAT | AND | ON | 2009/07/02 17:22 |
| S133 | 57 | ((examin\$6 with protocol) same patient same (restrict \$3 or limit\$3)) and hospital | US-PGPUB; USPAT | AND | ON | 2009/07/02 17:24 |
| S134 | 26 | ((examin\$6 with protocol) same patient same (restrict \$3 or limit\$3)) and hospital and (x-ray or mri or ct or sonogram) | US-PGPUB; USPAT | AND | ON | 2009/07/02 17:28 |

| | | | | | | |
|------|-----|---|-----------------|-----|----|------------------|
| S135 | 1 | ((examin\$6 with protocol) same (height or weight or age) same (restrict \$3 or limit\$3)) and hospital and (x-ray or mri or ct or sonogram) | US-PGPUB; USPAT | AND | ON | 2009/07/02 17:41 |
| S137 | 44 | ((protocol or rule) adj (filter\$4 or limit \$4)) with (patient or radiologist) | US-PGPUB; USPAT | AND | ON | 2009/07/02 19:09 |
| S136 | 863 | (protocol or rule) with (filter\$4 or limit \$4) with (patient or radiologist) | US-PGPUB; USPAT | AND | ON | 2009/07/02 19:09 |
| S138 | 9 | (((protocol or rule) adj (filter\$4 or limit \$4)) with (patient or radiologist)) and CT | US-PGPUB; USPAT | AND | ON | 2009/07/02 19:10 |
| S139 | 14 | (((database or protocol or rule) adj (filter\$4 or limit\$4)) with (patient or radiologist)) and CT | US-PGPUB; USPAT | AND | ON | 2009/07/02 19:17 |
| L1 | 14 | (((database or protocol or rule) adj (filter\$4 or limit\$4 or minim\$5)) with (patient or radiologist)) and CT | US-PGPUB; USPAT | AND | ON | 2009/07/05 12:21 |
| L2 | 30 | (((database or protocol or rule or options) adj (filter\$4 or limit\$4 or minim \$5)) with (patient or radiologist)) and CT | US-PGPUB; USPAT | AND | ON | 2009/07/05 12:25 |

| | | | | | | |
|----|----|--|--------------------|-----|----|---------------------|
| L3 | 12 | (((database or protocol or rule or options) adj (filter\$4 or limit\$4 or minim \$5)) same ((patient or radiologist) with (preferenc\$4 or background or history or past or diagnosis or prognosis or condition or training))) and CT | US-PGPUB; USPAT | AND | ON | 2009/07/05 12:30 |
| L5 | 40 | (((database or protocol or rule or options) adj (filter\$4 or limit\$4 or minim \$5)) same ((patient or radiologist or doctor or physician or technician or user or operator) with (preferenc\$4 or background or history or past or diagnosis or prognosis or condition or training))) and (CT or x-ray or mri or radiaton or tomography) | US-PGPUB; USPAT | AND | ON | 2009/07/05 12:31 |
| L4 | 17 | (((database or protocol or rule or options) adj (filter\$4 or limit\$4 or minim \$5)) same ((patient or radiologist) with (preferenc\$4 or background or history or past or diagnosis or prognosis or condition or training))) and (CT or x-ray or mri or radiaton or tomography) | US-PGPUB; USPAT | AND | ON | 2009/07/05 12:31 |

7/ 5/ 2009 3:22:41 PM

**C:\ Documents and Settings\ nsereboff\ My Documents\ EAST\ Workspaces\ 10595990.
wsp**